


CARDIO-VAC

ECG-VACUUM-SYSTEMS



OHLENSCHLÄGER

CARDIO-VAC

ECG-VACUUM-SYSTEMS



VACUBOY




VACUCAR



Pat.-Nr. 27 52 88 48
27 52 88 48 Jahre
173 cm
73 mmHg

aUR
aUL
aUF
aDF
aVF
aAF
aAF

Vacucar PC Models
are not longer available



~~VACUCAR PC~~

The ideal supplement to any ECG and ergometric recording station. It can be adapted to all electrocardiographs.

The most unproblematic of application technologies assures the user freedom from time-wasting interruption and operational constraint thanks to fast and secure positioning of electrodes.

- Soft silicone suction cups with fine edge seals achieve excellent adhesion, even on hairy chests.
- Stable zero line and pronounced minimizing of movement artefacts due to perfect contact of the silver-silver chloride electrodes.
- 3 stage suction performance regulation.
- Switching from vacuum to positive pressure means rapid disengagement of the electrode at the end of the ECG recording session and also an ideal cleaning opportunity: simply hang the electrodes in a water bath and let them bubble through thereby cleaning themselves.



~~VACUCAR PC PLUS~~

- Compact silent-running pump unit.
- High level of patient safety with low voltage supply via separat 12 V AC / AC plug-in power supply unit.
- Generous, unimpeded operational radius by means of double articulated swivel arm.
- Electrodes and electrodes lines individually and simply exchangeable from the outside.

OHLENSCHLÄGER

CARDIO-VAC

ECG-VACUUM-SYSTEMS

Double articulated swivel arm
exchangeable electrode lines
silver-silver chloride electrodes
silicone suction cups
3 phase suction performance
reversible suction – pressure
15 pole connection to IEC
12 V AC/AC plug-in-power supply unit
DC version with accumulator also available

VACUBOY

mobile dolly with integrated pump, fixed tube frame

VACUCAR

mobile equipment cart with integrated pump, drawer

~~VACUCAR-PC~~

~~PC workstation with height adjustable, pull-out
keyboard compartment and foldout mouse board
various versions and surfaces~~

ATTACHMENT

e. g. for problem-free attachment to existing
practice trolleys, beds etc.

WALL MODEL

for direct wall mounting

Customized versions – upon request

ACCESSORIES

ECG contact spray in 250 ml bottles with spray nozzle
refillable 5 l. cubitainer
filter inserts for suction electrodes (100 pack)
push-button adapter for one-way adhesive electrodes
special suction stick-on electrodes for children

ING. M. OHLENSCHLÄGER MEDIZINTECHNIK

Oberstraße 12
61462 Königstein 3
Phone +49 (0) 61 73 / 94 09 87
Fax +49 (0) 61 73 / 27 56

Ohlenschlaeger@t-online.de